



Fig. 1










Fig. 3A












Fig. 7



7/32





09915080.072501







Fig. 9B

Fig. 9a

Fig. 9b

[illegible]




Fig. 12

TURN TRANSISTOR 368B ON AND 369 OFF

802

12/32

*Fig. 14*

804

PINS  
P07 AND P06  
LOW ?

YES

806

SWITCH 39D  
IS CLOSED

NO

808

TURN TRANSISTOR 368B OFF AND 369 ON

PAUSE

810

812

PINS  
P07 AND P06  
LOW ?

YES

814

NO SWITCHES  
CLOSED

NO

PAUSE 2 MILLISECONDS

816

818

PINS  
P07 AND P06  
LOW ?

YES

820

LIGHT SWITCH  
39B CLOSED

NO

822

PAUSE 16 MILLISECONDS

824

PINS  
P07 AND P06  
LOW ?

YES

826

VACATION SWITCH  
CLOSED 39C

NO

828

NO SWITCHES CLOSED

830

UPDATE SWITCHES  
STATUS AND RETURN

09915080.072501  
105270.08051669




Fig. 15

SET NUMBER THRESHOLDS  
SUBROUTINE

14/32




Fig. 16

Fig. 17




Fig. 18A




Fig. 18A


Fig. 18B

Fig. 18C

0915080-072501



Fig. 18B



18/32





Fig. 18C

09915080.072501

Fig. 19A



0915080.072501




Fig. 19B




Fig. 19C

09915080 072501  
T05220 08051660

Fig. 20A





Fig. 20B




0915080 072501

Fig. 21A

Fig. 21B

Fig. 21A








Fig. 21B

09915080.072501





Fig. 22

Fig. 23



TEST ROLLING CODE  
COUNTER ROUTINE

28/32

SUBTRACT STORED ROLLING COUNTER  
FROM RECEIVED COUNTER

888

890

BRANCH  
ON RESULT

< 0

< 1000

892

RETURN BACKWARDS  
WINDOW, LOCK OUT

894

RETURN NO NEW  
CODE RECEIVED

= 0 OR > 1000

896

RETURN WITHIN  
FORWARDS WINDOW

Fig. 24

ERASE RADIO  
MEMORY SUBROUTINE

CLEAR ALL RADIO CODES (INCLUDING  
KEYLESS TEMPORARY PASSWORD)

686

SET RADIO MODE IN NON-VOLATILE AS  
TESTING FOR FIXED OR ROLLING

688

SET WORKING RADIO MODE AS FIXED  
CODE TEST

690

SET FIXED CODE NUMBER THRESHOLDS


692

RETURN

694

Fig. 25

09015080 072501







*Fig. 27*

Fig. 28






*Fig. 29*





105220-0805160







Fig 32

09915080.072501

Fig 33






Fig 34

09915080.072501




Fig 35